


# PB Files

PB file (Palo Bundle) is the package export file type of Jedox.

You can find the **Export** and **Import** commands on the context menu after right clicking on a folder or a file. Starting from a folder, the command **Export** will create a PB file.


Additionally, in the Reports module the commands **Export All Folder Groups** and **Export Folder Group** are available



In the Reports module, the command **Export** also takes the required files of the Report Designer module into the package.

You can import a PB file as an entire package again. By default, the maximum file size for import is 128 megabytes; this value can be changed by the Jedox administrator. See [File and Folder Settings in Jedox Web](#) for more information.

During the import, the contents of the PB file will be displayed:



The following message is displayed:

**Import** ×

**Bundle will be imported into folder. Files with duplicate names will be overwritten.**

Show import log:

<< Previous Finish Cancel

You can also display an import log:

Status	Context	Location
Imported**	Files	Freiburg/Herdern/Regions
Imported**	Files	Freiburg/Herdern/Regions/Haslach.wss
Imported**	Files	Freiburg/Herdern/Regions/Saft1
Imported**	Files	Freiburg/Herdern/Regions/Saft1/Ball1.wss
Imported**	Files	Freiburg/Herdern/Regions/Saft1/Ball2.wss
Imported**	Files	Freiburg/Herdern/Regions/Test2.wss
Failed	Files	Freiburg/Herdern/Regions/FR45
Imported**	Files	Freiburg/Herdern/Regions/Ballon

\*\* existed on filesystem and overwritten

**Note:** When you export and import root folders separately, the resource workbook connection between them is lost.

If the export also includes framesets, then select the folder to export so that all the framesets used in workbooks are included.

Access rights for the exported hierarchy are included in the bundle, but are only applied upon import if the user group exists in the system where the bundle is imported.

During import, the internal item IDs are rewritten if possible (or necessary). Since hyperlinks between workbooks are based on these IDs, some hyperlinks may not work after importing. This only concerns

hyperlinks created with the “Insert Hyperlink” dialog, not the HYPERLINK() formula. Hyperlinks within a workbook are also not influenced by this.

---